

### United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
09/841,225	04/24/2001	Yakov Belopolsky	FCI-2545/C2579	6391	
•	7590 04/03/2003				
DAVID L. MARCUS WOODCOCK WASHBURN KURTZ MACKIEWICZ & NORRIS LLP			EXAMINER		
			LEON, EDWIN A		
One Liberty Place - 46th Floor Philadelphia, PA 19103			ART UNIT	PAPER NUMBER	
r		•	2833		
			DATE MAILED: 04/02/2002		

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary		Application No.	Applicant(s) BELOPOLSKY ET AL.				
		09/841,225					
		Examiner	Art Unit				
		Edwin A. León	2833				
	Th MAILING DATE of this communication app	pears on the cover sheet with	the correspondence address				
THE I - Exter after - If the - If NO - Failu - Any r earne	ORTENED STATUTORY PERIOD FOR REPL' MAILING DATE OF THIS COMMUNICATION. sions of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period or reply within the set or extended period for reply will, by statute eply received by the Office later than three months after the mailing of patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply y within the statutory minimum of thirty (3/will apply and will expire SIX (6) MONTHS, cause the application to become ABANI	be timely filed  O) days will be considered timely.  For the mailing date of this communication.  DONED (35 U.S.C. § 133).				
Status	Page and the communication (s) filed on 22	January 2002					
1)⊠	Responsive to communication(s) filed on 23.						
2a)⊠	,—	is action is non-final.					
3)□ Dispositi	Since this application is in condition for allows closed in accordance with the practice under on of Claims						
•	Claim(s) 1-20 is/are pending in the application	١.					
•	4a) Of the above claim(s) is/are withdrawn from consideration.						
·	Claim(s) <u>1-8,10-16 and 18-20</u> is/are rejected.						
·	Claim(s) <u>9 and 17</u> is/are objected to.						
8)	Claim(s) are subject to restriction and/o	or election requirement.					
	The specification is objected to by the Examine	er.					
, —	The drawing(s) filed on is/are: a)☐ accep		Examiner.				
,—	Applicant may not request that any objection to the						
11)[ ]	11)⊠ The proposed drawing correction filed on <u>23 January 2003</u> is: a)⊠ approved b) disapproved by the Examiner.						
	If approved, corrected drawings are required in re	ply to this Office action.					
12) 🗌	The oath or declaration is objected to by the Ex	kaminer.					
Priority u	ınder 35 U.S.C. §§ 119 and 120						
13)	Acknowledgment is made of a claim for foreign	n priority under 35 U.S.C. § 1	19(a)-(d) or (f).				
a)[	☐ All b)☐ Some * c)☐ None of:						
	1. Certified copies of the priority document	s have been received.					
	2. Certified copies of the priority document	s have been received in App	lication No				
* 5	3. Copies of the certified copies of the prio application from the International Buse the attached detailed Office action for a list	reau (PCT Rule 17.2(a)).					
	Acknowledgment is made of a claim for domesti	·		).			
a	) ☐ The translation of the foreign language pro Acknowledgment is made of a claim for domest	ovisional application has beer	n received.				
Attachmen	t(s)						
2) Notic	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449) Paper No(s) _	5) Notice of Info	nmary (PTO-413) Paper No(s) rmal Patent Application (PTO-152)				
.S. Patent and T	rademark Office						

Art Unit: 2833

#### **DETAILED ACTION**

### Response to Amendment

1. Applicant's amendment filed January 23, 2003 in which the Specification and the Abstract have been amended, has been place of record in the file as Paper No. 10.

### Specification

2. Applicant is reminded of the proper language and format for an abstract of the disclosure.

The language should be clear and concise and should not repeat information given in the title. It should avoid using phrases which can be implied, such as, "The disclosure concerns," "The disclosure defined by this invention," "The disclosure describes,", "comprises", etc.

# Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the

Art Unit: 2833

applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-8, 10-16 and 18-20 are rejected under 35 U.S.C. 102(e) as being 4. anticipated by Hammond et al. (U.S. Patent No. 6,394,853). With regard to Claims 1 and 13, Hammond et al. discloses a modular jack connector (5), comprising: a ground shield (10) defining a receiving cavity (17) open at a plug receiving face; a dielectric housing (22,30) mounted inside the ground shield receiving cavity (17), the dielectric housing (22,30) defining a plug receiving cavity (29) open on a first face thereof and an insert receiving cavity (19) open to the plug receiving cavity (29); a plurality of first terminal contacts (eight contacts (35) in a row) mounted to the dielectric housing (22,30), each of the first terminal contacts (eight contacts (35) in a row) having a spring beam (upper part of contact 35) and tail end portion (part of 35 connected to 30), wherein the spring beam (upper part of contact 35) portion extends within the plug receiving cavity (29); a plurality of second terminal contacts (four contacts spaced for the first contacts) mounted to the dielectric housing (22,30), each second terminal contact having a spring beam (upper part of contact 35) and tail end portion (part of 35 connected to 30), wherein the spring beam (upper part of contact 35) portion extends within the plug receiving cavity (29) and wherein certain of the tail end portions (part of 35 connected to 30) of the second terminal contacts (four contacts spaced for the first contacts) are electrically connected to certain of the tail end portions (part of 35 connected to 30) of the first terminal contacts (eight contacts (35) in a row); and a switching block (50) positioned to slideably move within the insert receiving cavity (19); Art Unit: 2833

whereby insertion of a plug having a switching protrusion into the plug receiving cavity (29) of the connector (5) contacts and moves the switching block (50) away from the plug receiving cavity (29) breaking the electrical connections. The method limitations are deemed inherent. See Figs. 1-5A and Column 5, Lines 4-34.

With regard to Claim 2, Hammond et al. discloses the plurality of first terminal contacts (eight contacts (35) in a row) being mounted in a plurality of first contact receiving recesses in the dielectric housing (22,30) and the plurality of second terminal contacts (four contacts spaced for the first contacts) are mounted in a plurality of second contact receiving recesses. See Figs. 1-5A and Column 5, Lines 4-34.

With regard to Claim 3, Hammond et al. discloses the contact receiving recesses (37) being substantially separated from each other. See Figs. 1-5A and Column 5, Lines 4-34.

With regard to Claims 4 and 14, Hammond et al. discloses the certain of the tail end portions (part of 35 connected to 30) of the second terminals (four contacts spaced for the first contacts) being electrically connected to the certain of the tail end portions (part of 35 connected to 30) of the first terminal contacts (eight contacts (35) in a row) by a plurality of switching contacts (66). See Figs. 1-5A and Column 5, Lines 4-34.

With regard to Claim 5, Hammond et al. discloses the electrical connections being broken by the switching block (50) engaging the switching contacts (66). See Figs. 1-5A and Column 5, Lines 4-34.

With regard to Claim 6, Hammond et al. discloses each of the certain tail end portions (part of 35 connected to 30) of the first terminal contacts (eight contacts (35) in

Art Unit: 2833

a row) further comprising a switching pad (bottom part of 35) and each of the switching contacts (66) comprising a mating portion (bottom part of 66), the switch pad (bottom part of 35) being in electrical contact with at least one mating pad (bottom part of 66). See Figs. 1-5A and Column 5, Lines 4-34.

With regard to Claim 7, Hammond et al. discloses the electrical connections being broken by the switching block (50) engaging the switching contacts (66) and breaking the electrical connection between the first terminal switching pads (bottom part of 35) and the switching contact mating pads (bottom part of 66). See Figs. 1-5A and Column 5, Lines 4-34.

With regard to Claim 8, Hammond et al. discloses the certain of the first terminal contacts (eight contacts (35) in a row) being electrically grounded when the electrical connections between the certain first (eight contacts (35) in a row) and second terminal contacts (four contacts spaced for the first contacts) are broken. See Figs. 1-5A and Column 5, Lines 4-34.

With regard to Claims 10 and 18, Hammond et al. discloses the first terminal contacts (eight contacts (35) in a row) comprising positions 1-8 of a Category 3-6 compliant plug. See Figs. 1-5A and Column 5, Lines 4-34.

With regard to Claims 11 and 19, Hammond et al. discloses the certain first terminal contacts (eight contacts (35) in a row) comprising positions 3-6 of a Category 3-6 compliant plug. See Figs. 1-5A and Column 5, Lines 4-34.

Art Unit: 2833

With regard to Claims 12 and 20, Hammond et al. discloses the certain second terminal contacts (four contacts spaced for the first contacts) comprising positions 3-6 of a Category 7 compliant plug. See Figs. 1-5A and Column 5, Lines 4-34.

With regard to Claim 15, Hammond et al. discloses the electrical connections being broken by the switching block (50) engaging the switching contacts (66). See Figs. 1-5A and Column 5, Lines 4-34.

With regard to Claim 16, Hammond et al. discloses the certain first terminal contacts (eight contacts (35) in a row) being electrically grounded when the electrical connections are broken. See Figs. 1-5A and Column 5, Lines 4-34.

## Allowable Subject Matter

5. Claims 9 and 17 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims for the resons given in the Office Action of September 25, 2002.

# Response to Arguments

6. Applicant's arguments filed January 23, 2003 have been fully considered but they are not persuasive. In response to Applicant's arguments regarding Claims 1 and 13 that the Hammond et al. reference doesn't show certain of the tail end portions of the

Art Unit: 2833

second terminal contacts are electrically connected to certain of the tail end portions of the first terminal contacts, Applicant's attention is directed to Fig. 2 in which the Hammond et al. reference clearly shows certain of the tail end portions (part of 35 connected to 30) of the second terminal contacts (four contacts spaced for the first contacts) are electrically connected to certain of the tail end portions (part of 35 connected to 30) of the first terminal contacts (eight contacts (35) in a row). Applicant is reminded that the tail end portions (part of 35 connected to 30) of both the first terminal contacts (eight contacts (eight contacts spaced for the first contacts (eight contacts (35) in a row) and second (four contacts spaced for the first contacts) terminals are electrically connected by means of the printed circuit board (30). Applicant's claims do not require the first and second contacts to be directly connected and for that reason the Examiner believes that Applicant's claims are broad enough to read on the Hammond et al. reference.

#### Conclusion

7. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not

Art Unit: 2833

mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Edwin A. León whose telephone number is (703) 308-6253. The examiner can normally be reached on Monday - Friday 9:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paula A. Bradley can be reached on (703) 308-2319. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 308-7722 for regular communications and (703) 308-7722 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Wy'n ላ ሗ Edwin A. Leon AU 2833

EAL March 28, 2003

P. AUSTIN BRADLEY
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800